



CSN OF MIFARE CARDS OR FINGER



Or



TO WORK WITH MULTI SIGMA/ SIGMA LITE READERS

ACRONYMS

MWC=MORPHO WAVE COMPACT

UP=USER POLICY

BDP=BIOMETRIC DEVICE PROFILE

MM=MORPHO MANAGER

ACP=ACCESS CONTROL PANEL

CSN=CARD SERIAL NUMBER

MORPHOMANAGER DEFAULT LOG IN

USERNAME-ADMINISTRATOR

PASSWORD-PASSWORD

ADD AN BIOMETRIC DEVICE

Administration>Biometric Device

Biometric devices from three different hardware families can be added here; the MA 100, MA J, MA 500, and MA VP family, the MA Sigma, MA Sigma Lite And MA Sigma Lite + MA Sigma Extreme, the Morpho 3D Face, the MorphoWave Tower, MorphoWave Compact, and the Morpho Tablet Terminal.

ADD THE DEVICE AS THE EXAMPLE BELOW

- Operator
- Key Policy
- Biometric Device Profile
- Biometric Device**

Enter the details for this Biometric Device

Name:

Description:

Location:

Asset ID:

Export Value:

Time Zone:

Hardware Family:

Serial Number:

Hostname \IP Address:

Port:


Biometric Device Profile:

Include in Time & Attendance Exports:

Change User Onsite / Offsite Status:

Onsite Key:

Offsite Key:



CLIENTS



Path Administration>Clients

Clients are computers that have the MorphoManager Client software installed and communicate with a MorphoManager server

TO READ THE MIFARE CSN YOU REQUIRE
A OMNIKEY **OR** A SIGMA/SIGMA LITE
MULTI



SIGMA MULTI



USB OMNIKEY 5022

ADD YOUR SIGMA OR OMNIKEY TO YOUR CLIENT

Operator

Key Policy

Biometric Device Profile

Biometric Device

Wiegand Profiles

User Policy

Access Schedules

User Distribution Group

User Authentication Mode

Operator Role

Notifications

Clients

Enter the details for this client

Name:

Description:

Location:

Click Next 3 Times

SEARCH FOR YOUR OMNIKEY UNDER SMARTCARD ENCODING

Enrollment Devices

3D Face Enrollment

Morpho 3D Face enrollment:

Morpho 3D Face enrollment biometric device:

Contact Enrollment

Morpho Finger biometric enrollment:

Morpho Finger enrollment MorphoAccess:

Contactless Enrollment

Morpho Contactless Finger biometric enrollment:

Morpho Contactless Finger enrollment MorphoAccess:

Smartcard Encoding

Morpho Smartcard encoding:


Morpho Smartcard encoding PC/SC device:

Morpho Smartcard encoding MorphoAccess:

Keys

Key Policy:

IF USING A OMNIKEY



SEARCH FOR YOUR SIGMA UNDER SMARTCARD ENCODING

Enrollment Devices

3D Face Enrollment

Morpho 3D Face enrollment:

Morpho 3D Face enrollment biometric device:

Contact Enrollment

Morpho Finger biometric enrollment:

Morpho Finger enrollment MorphoAccess:

Contactless Enrollment

Morpho Contactless Finger biometric enrollment:

Morpho Contactless Finger enrollment MorphoAccess:

Smartcard Encoding

Morpho Smartcard encoding:

Morpho Smartcard encoding PC/SC device:

Morpho Smartcard encoding MorphoAccess:


Keys

Key Policy:

Annotations:

- Blue arrow pointing to the "Selected MorphoAccess" dropdown: DROP DOWN SELECTED MORPHOACCESS
- Blue arrow pointing to the "Search" button below "Morpho Smartcard encoding MorphoAccess": SEARCH FOR THE READER

IF USING A SIGMA



USE A SIGMA TO CAPTURE FINGERPRINTS

Enrollment Devices

3D Face Enrollment

Morpho 3D Face enrollment:

Morpho 3D Face enrollment biometric device:

Contact Enrollment

Morpho Finger biometric enrollment:

Morpho Finger enrollment MorphoAccess:

Contactless Enrollment

Morpho Contactless Finger biometric enrollment:

Morpho Contactless Finger enrollment MorphoAccess:

Smartcard Encoding

Morpho Smartcard encoding:

Morpho Smartcard encoding PC/SC device:

Morpho Smartcard encoding MorphoAccess:


Keys

Key Policy:

DROP DOWN
SELECTED
MORPHOACCESS

SEARCH FOR THE
READER

****IF YOU HAVE A MSO NO CHANGES
NEED TO TAKE PLACE**



BIOMETRIC DEVICE PROFILE



Biometric Device
Profile

Path Administration>Biometric Device Profile

The Biometric Device Profile will define common settings and parameters for one or more biometric devices. This profile can be applied when adding units into the system from the Biometric Device section of Administration

BIOMETRIC DEVICE PROFILE

CREATE OR EDIT THE BIOMETRIC DEVICE PROFILE

Operator

Key Policy

Biometric Device Profile

Biometric Device

Wiegand Profiles

User Policy

Access Schedules

User Distribution Group

User Authentication Mode

Enter details for the Biometric Device Profile

Name:

Description:

Configuration Mode:

Log Retrieval Enabled:

Log retrieval interval: (seconds)

Duplicate check on biometrics: (Does not apply to Morpho 3D Face or MorphoTablet. Only applicable to new user adds or rebuild operations)

MorphoAccess heartbeat interval: (seconds)

Key Policy:

Next



BIOMETRIC DEVICE PROFILE

Biometric Device Settings

General Settings

Wiegand Profile: ISO/IEC 14443 CSN 32 bit

Language: English

Realtime logging enabled:

Biometric Threshold Settings

Biometric Threshold: Recommended


MorphoAccess Vein Print Mode: Universal Fast

MorphoAccess Fingerprint Threshold: 3

Morpho 3D Face Identification Threshold: Medium

Morpho 3D Face Verification Threshold: Low



Next 

THE WIEGAND PROFILE MUST BE SET TO WHATEVER THE MIFARE CARD FORMAT IS

BIOMETRIC DEVICE PROFILE

Multi-Factor Mode Settings

Multi-Factor Mode: ←

Contactless Smart Card Mode: ←

Morpho 3D Face Multi-Factor Mode

Mode:

MA 100, MA J, MA 500, MA VP Multi-Factor Mode

Mode:

MA Sigma, MA Sigma Lite, MA Sigma Lite+, MA Sigma Extreme, MA Sigma VP and MorphoWave Multi-Factor Modes

Biometric:	<input checked="" type="checkbox"/>	Mifare Classic:	<input checked="" type="checkbox"/> ←
Proximity Card:	<input type="checkbox"/>	Mifare DESFire 3DES:	<input type="checkbox"/>
Wiegand In:	<input type="checkbox"/>	Mifare DESFire AES:	<input type="checkbox"/>
Clock and Data In:	<input type="checkbox"/>	Keypad:	<input type="checkbox"/>
HID iClass:	<input type="checkbox"/>		
HID iClass SEOS:	<input type="checkbox"/>		




Next 



SET THE MULTI-FACTOR MODE SETTINGS AS EXACTLY AS SHOWN

BIOMETRIC DEVICE PROFILE


THERE IS NO CHANGES NEED TO TAKE PLACE IN THE BDP EXCEPT FOR CUSTOM PARAMETERS.



HIT NEXT SEVERAL TIMES TILL YOU GET TO CUSTOM PARAMETERS




BIOMETRIC DEVICE PROFILE



Name	Value
ucc.per_user_rules	2
ucc.user_record_reference	1

ADD ONE PARAMETERS THIS IS CASE SENSITIVE***
UCC.PER_USER_RULES VALUE OF 2
UCC.USER_RECORD_REFERENCE OF 1



THE NEXT STEPS IS TO CREATE ONE
UAM AND ONE UP

THE **USER POLICY** DICTATES ON HOW
THE USER WILL BE VERIFIED BUT A **USER
AUTHENTICATION MODE** NEEDS TO BE
CREATED FIRST FOR THAT POLICY

USER AUTHENTICATION MODE

Path Administration>User Authentication Mode(s)



Create new User Authentication Mode(s)

User Authentication Mode(s) will set which authentication triggers will be utilized by users. The parameters are designated here and then a specific User Authentication Mode will be chosen as part of a User Policy. Users added to the system will have their authentication triggers governed by the User Authentication Mode portion of the User Policy they are placed in.

USER AUTHENTICATION MODE

- Operator
- Key Policy
- Biometric Device Profile
- Biometric Device
- Wiegand Profiles
- User Policy
- Access Schedules
- User Distribution Group
- User Authentication Mode**


Enter details for this User Authentication Mode

Name:


Description:


MA 100, MA J, MA 500, and MA VP Mode:

Morpho 3D Face Mode:

 Smartcard encoding will prefer the MA Sigma settings over MA 100, MA J, MA 500, and MA VP mode settings.

CREATE A NEW USER AUTHENTICATION MODE



Next 

USER AUTHENTICATION MODE

MA Sigma, MA Sigma Lite, MA Sigma Lite+, MA Sigma Extreme, MA Sigma VP, MorphoWave Settings

Mode: ←

Download Identifier To Device:

Encode To Smartcard Mode:

Template Location: ←

Pin Location:

Allow Start By Biometric: ←

Allow Start By Contactless Card: ←


Allow Start By Keyboard:

Allow Start By Wiegand In:

Require Pin:

Require Template Match:

FOLLOW THIS SETTINGS EXACTLY AS SHOWN



USER POLICY



Path Administration>User Policy

Create new User Policy


Select the User Policy that this user will belong to. This is an important selection, as the policy will determine Biometric Device access and other access control and time & attendance settings.

USER POLICY

CREATE A NEW USER POLICY

- Operator
- Key Policy
- Biometric Device Profile
- Biometric Device
- Wiegand Profiles
- User Policy**
- Access Schedules
- User Distribution Group
- User Authentication Mode

Enter the details for this User Policy

Name: Mifare CSN OR Finger 

Description:

Access Mode: All Biometric Devices and Clients

Allow MA 500 database selection during user enrollment


Access Schedule: 24 hours, 7 days a week

Extended User Details: Display extended user details

Wiegand Profile: ISO/IEC 14443 CSN 32 bit

User Authentication Mode: Mifare CSN or Finger

Show Photo Capture Page:



Next 

WIEGAND PROFILE WILL BE YOUR MIFARE CARD FORMAT
USER AUTHENTICATION MODE IS THE ONE YOU CREATED EARLIER

USER POLICY

CLICK TWO FOR FINGER BIOMETRICS

Enter the details for finger biometric options

Finger Biometric Enrollment Minimum Fingers:

Preferred Finger One:

Preferred Finger Two:


Preferred Duress Finger:

Vein / Print Mode:



It is recommended the mode set in User Policy for enrollment should be the same mode or a more restrictive mode than the mode set in Biometric Device Profile. Using a less restrictive mode in User Policy than in Biometric Device Profile is likely to increase the False Rejection Rate (FRR) of biometric devices.



Next 

USER POLICY

NONE FOR WAVE ENROLLMENTS

Enter the details for wave biometric options

Wave Enrollment Minimum Hands:

None

Show Wave Biometric Capture Page:

Finish



ENROLLMENT PROCESS

USER MANAGEMENT



User Management

Users are people who will have their biometric data sent to the selected Biometric Device for identification purposes for either access control or time and attendance.

USER MANAGEMENT

CREATE A NEW USER WITH THE USER POLICY CREATED EARLIER

Adding User

Enter details for this User

User Policy: Mifare CSN OR Finger

Enabled:

First Name: Jimmy

Middle Name:

Last Name: Jones

Date of Birth: Use M/d/yyyy eg. 3/24/1986.



Next



POLICY MIFARE CSN OR FINGER

USER MANAGEMENT

READ THE CSN BY USING EITHER A SIGMA OR OMNIKEY

Wiegand Values

Card Serial Number

3790834529



Read CSN

Next



USER MANAGEMENT

CAPTURE YOUR HAND PRINTS



FINAL RESOLUTION

ONE USER AUTHENTICATION MODE NEEDS TO BE CREATED

ONE USER POLICY NEED TO BE CREATED

USER POLICY IS ASSOCIATED WITH USER AUTHENTICATION MODE

ONE USER FOR MIFARE CSN OR FINGER

WEBSITE

Please visit our website,
service.morphotrak.com for
software, firmware, videos and
PDF'S